Power Inductor Automotive Grade AWVS Series





Overview

Power inductors are passive electronic components used in various circuits to store energy in a magnetic field when electrical current flows through them. They are critical in filtering, energy storage, and noise suppression in power electronic systems.

They are designed to handle higher currents and are optimized for minimal power loss and thermal efficiency.

Benefits

- 1. Automotive grade available
- 2. No thermal aging
- 3. High current and efficiency, Magnetic epoxy sealing(Seme-shield)

Applications

- 1. Automotive Systems for Infotainment, MCU, Dashboard, CCD Module
- 2. Media player, Audio class
- 3. Net working, LCD Panel/TV,
- 4. Base stations, 5G infrastructure, and signal processing systems.
- 5. Telematics

Product Information

Series	L <u>(mm)</u>	W <u>(mm)</u>	T <u> (mm)</u>	Inductance (μH)
AWVS	3.2	2.5	1.5	0.22 ~ 1200
	3.2	2.5	1.5	
	4.0	4.0	1.2	
	4.0	4.0	1.5~2.0	
	5.0	5.0	1.7~2.2	
	5.0	5.0	4.0	
	5.0	5.0	3.7~4.2	
	6.0	6.0	1.7~2.2	
	6.0	6.0	2.5~3.0	
	6.0	6.0	4.2~4.7	
	6.0	6.0	4.5	
	8.0	8.0	3.7~4.2	
	8.0	8.0	4.0	








AEC-Q200

- 1 Scope: This specification applies to Wire Wound Power Inductors
- 2 Part Numbering:




3 Rating:

Operating Temperature: $-40 \,^{\circ}\text{C} \sim 125 \,^{\circ}\text{C}$ (Including self - temperature rise)

Storage Temperature: - 4 0 °C ~ 1 2 5 °C

(The storage temperature range is for after the assembly)

4 Marking:



Ex Marking: 2R2

Marking color: Black


5 Standard Testing Condition

	Unless otherwise specified	In case of doubt
Temperature	Ordinary Temperature(15 to 35℃)	20 to 30°C
Humidity	Ordinary Humidity(25 to 85% RH)	50 to 80 %RH



AEC-Q200

6 Configuration and Dimensions:



_	MINICIPATOR
	TYPE
	Α
	В
	С
	D
	E
_	C D

Net Weight (grms)	
SIZE CODE	Net Weight (grms)
505040	0.332 (typ).

0.332 (typ).

7 Electrical Characteristics:

Part No.	Inductance (uH)	Test Freq.	RDC (mΩ)±30%	Isat(A) Typ.(Max)	Irms(A) Typ.(Max)	Tolerance (±%)	Marking
AWVS00505040R68□00	0.68	100kHz,1V	10	8.4(7.50)	5.6(5.00)	20,30	R68
AWVS005050401R0□00	1.0	100kHz,1V	14	7.50(6.70)	4.60(4.10)	20,30	1R0
AWVS005050401R2□00	1.2	100kHz,1V	15	7.40(6.60)	4.50(4.00)	20,30	1R2
AWVS005050401R5□00	1.5	100kHz,1V	16	7.10(6.30)	4.40(3.90)	20,30	1R5
AWVS005050402R2□00	2.2	100kHz,1V	21	5.70(5.10)	3.70(3.30)	20,30	2R2
AWVS005050403R0□00	3.0	100kHz,1V	26	4.80(4.30)	3.50(3.10)	20,30	3R0
AWVS005050403R3□00	3.3	100kHz,1V	26	4.80(4.30)	3.50(3.10)	20,30	3R3
AWVS005050403R6□00	3.6	100kHz,1V	31	4.20(3.70)	3.30(2.90)	20,30	3R6
AWVS005050404R7□00	4.7	100kHz,1V	32	4.20(3.70)	3.20(2.80)	20,30	4R7
AWVS005050405R6□00	5.6	100kHz,1V	42	3.70(3.30)	2.80(2.50)	20,30	5R6
WVS005050406R8□00	6.8	100kHz,1V	50	3.30(2.90)	2.40(2.10)	20,30	6R8
WVS005050408R2□00	8.2	100kHz,1V	58	3.10(2.70)	2.30(2.00)	20,30	8R2
AWVS00505040100□00	10	100kHz,1V	60	2.80(2.50)	2.20(1.90)	20,30	100
AWVS00505040150 = 00	15	100kHz,1V	90	2.30(2.00)	1.80(1.60)	20,30	150
AWVS00505040220 = 00	22	100kHz,1V	135	1.80(1.60)	1.40(1.20)	20,30	220
AWVS00505040270□00	27	100kHz,1V	180	1.60(1.40)	1.20(1.00)	20,30	270
\WVS00505040330□00	33	100kHz,1V	190	1.50(1.30)	1.10(0.99)	20,30	330
AWVS00505040470□00	47	100kHz,1V	310	1.20(1.00)	0.90(0.81)	20,30	470
WVS00505040680□00	68	100kHz,1V	540	1.00(0.90)	0.78(0.70)	20,30	680
AWVS00505040101□00	100	100kHz,1V	800	0.70(0.60)	0.60(0.50)	20,30	101
WVS00505040151□00	150	100kHz,1V	1400	0.60(0.54)	0.45(0.40)	20,30	151

NOTE: -tolerance M=±20% / T=±30%

^{1.}Operating temperature range $-40\,^{\circ}\text{C} \sim 125\,^{\circ}\text{C}$ (Including self - temperature rise)

^{2.}Isat for Inductance drop 30% from its value without current.


^{3.}Irms for a 40°C temperature rise from 25°C ambient.



AEC-Q200

8 AWVS00505040 Series

8.1 Construction:



8.2 Material List:


NO Part		Material	
1	Core	Ferrite	
2	Terminal	Ag/Ni/Sn	
3	Wire	Copper(180°C)	
4	Ероху	Magnetic powder resin	





4 . 19	lechanical Performa	Specification	Test Method
1 1	Board Flex		Test device shall be soldered on the substrate
1-1	board riex	.,	
		9	Substrate Dimension: 100x40x1.6mm
		the terminal electrode and the	[77]
		ferrite.	Keeping Time: 60 sec
			45 45
1-2	Terminal Strength	The chip must not damage the	Appendix 1 Note(AEC-Q200-005):Force of 1.8 kg for 60
	Ŭ	terminal electrode and the	seconds.
		ferrite.	000011401
1 2	Solderability	The electrodes shall be at	Dro hooting: 150°C 1min
1-3	Solderability	least 95% covered with new	Pre-heating: 150°C, 1min
			Solder Composition: Sn/3.0Ag/0.5Cu
		solder coating.	Solder Temperature: 245±5℃
			Immersion Time: 4±1sec
1-4	Resistance to	Appearance:No damage	Pre-heating: 150℃, 1min
	Soldering Heat	Inductance change shall	Solder Composition: Sn/Ag3.0/Cu0.5
	_	be within ±10%.	Solder Temperature: 260±5°C
			Immersion Time: 10±1sec
			minicision finite. 1011360
	Resistance to		
1-5	Solvents	There must be no change in	Inductors must withstand 6 minutes of alcohol or water.
		appearance or obliteration of	
		marking.	
1-6	Mechanical Shock		Pulse shape: Half-sine waveform
		_	Impact acceleration: 100 g
		the terminal electrode and the	Pulse duration: 6 ms
		ferrite.	Number of shocks: 18 shocks (3 shocks for each face)
			Orientation : Bottom, top, left, right, front and rear faces
			, 1, , 3 ,
1-7	Vibration	Appearance:No damage	Vibration waveform: Sine waveform
	VIDIGUOII	Inductance change shall be	Vibration frequency: 10Hz~2000Hz
		•	
		within ±10%.	Vibration acceleration: 5g
			Sweep rate: 0.764386otcave/minute
			Duration of test: 12 cycles each of 3 orientations
			20 minutes for each cycle
			Vibration axes: X, Y & Z
	nvironmental Perfo		
lo	Item	Specification	Test Method
2-1	High Temperature	Appearance:No damage (for	Temperature: 125±3°C
	Exposure (Storage)	microscope of CASTOR MZ-4	Time: 1000hrs
		20X)Inductance change shall	Measured after exposure in the room condition for 24hrs
		be within ±10%.	·
2-2	Operational Life	1	Temperature: 125±2°C
	2,5,5,5,5,5,5		Appliend Current : Rated Current
	1		Time: 1000± 24 hrs
	D:	+	Measured after exposure in the room condition for 24hrs
2-3	Biased Humidity	1	Temperature: 85±2°C
			Relative Humidity: 85%
			Time: 1000hrs
			Measured after exposure in the room condition for 24hrs
	T 0 1	T	Total cycles: 1000 cycles
2-4	Temperature Cycling		-
2-4	Temperature Cycling		Temperature Cycling Test Conditions : -40 to +125 °C
2-4	remperature Cycling		Temperature Cycling Test Conditions : -40 to +125 ℃ Soak Mode Condition : 30 minutes
2-4	Temperature Cycling		Soak Mode Condition: 30 minutes
			Soak Mode Condition:30 minutes Measured after exposure in the room condition for 24hrs
	ESD		Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second Polarity of the output voltage: Positive and negative Number of discharge: Discharge +/- for 1 time for the 2 test
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second Polarity of the output voltage: Positive and negative Number of discharge: Discharge +/- for 1 time for the 2 test points.
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second Polarity of the output voltage: Positive and negative Number of discharge: Discharge +/- for 1 time for the 2 test points. Test Mode: Air Discharge
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second Polarity of the output voltage: Positive and negative Number of discharge: Discharge +/- for 1 time for the 2 test points. Test Mode: Air Discharge Discharge level: ±12KV, ±16KV, ±25KV
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second Polarity of the output voltage: Positive and negative Number of discharge: Discharge +/- for 1 time for the 2 test points. Test Mode: Air Discharge Discharge level: ±12KV, ±16KV, ±25KV Discharge interval: <5 seconds
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second Polarity of the output voltage: Positive and negative Number of discharge: Discharge +/- for 1 time for the 2 test points. Test Mode: Air Discharge Discharge level: ±12KV, ±16KV, ±25KV Discharge interval: <5 seconds Polarity of the output voltage: Positive and negative
			Soak Mode Condition: 30 minutes Measured after exposure in the room condition for 24hrs Test mode: Contact Discharge Discharge level: ±6KV, Discharge interval: 1 second Polarity of the output voltage: Positive and negative Number of discharge: Discharge +/- for 1 time for the 2 test points. Test Mode: Air Discharge Discharge level: ±12KV, ±16KV, ±25KV Discharge interval: <5 seconds





Lead-Free(LF)標準溫度分析範圍

Refer to J-STD-020C

管制項目 Item.	升溫區 Ramp-up	預熱區 Pre-heating	迴焊區 Reflow	Peak Temp	冷卻區 Cooling
溫度範圍 Temp.scope	R.T ~ 150°C	150°C ~ 200°C	Above 217°C	260±5℃	Peak Temp.~150℃
標準時間 Time spec.	1 - 1	60 ~ 180 sec	60 ~ 150 sec	20 ~ 40 sec	-
實際時間 Time result	_	75 ~ 100 sec	90 ~ 120 sec	20 ~ 35 sec	-

NOTE:

- 1. Re-flow possible times: within 2 times
- 2. Nitrogen adopted is recommended while in re-flow
- 3. Products can only be soldered with reflow



AEC-Q200

10 Packaging:

10.1 Packaging -Cover Tape


The force for tearing off cover tape is 10 to 130 grams in the arrow direction.



10.2 Packaging Quantity

TYPE	PCS/REEL
505040	1500

10.3 Reel Dimensions



Dimensions in	


TYPE	A	В	С	D
505040	330	100	13	13.4




AEC-Q200

10 Packaging:

10.4 Tape Dimensions in mm



11 Recommended Land Pattern:




12 Note:

- 1. Please make sure that your product has been evaluated and confirmed against your specifications when our product is mounted to your product.
- 2. Do not knock nor drop.
- 3. All the items and parameters in this product specification have been prescribed on the premise that our product is used for the purpose,under the condition and in the environment agreed upon between you and us. You are requested not to use our product deviating from such agreement.
- 4.The storage period is less than 12 months. Be sure to follow the storage conditions (Temperature: 5 to 40°C, Humidity: 10 to 75% RH or less).
- If the storage period elapses, the soldering of the terminal electrodes may deteriorate.
- 5.Do not use or store in locations where there are conditions such as gas corrosion (salt, acid, alkali, etc.).
- 6. The moisture sensitivity level (MSL) of products is classified as level 1.

AEC-Q200




7. Void Appearance tolerance Limit




Exposed wire tolerance limit of coating resin part on product side. The unilateral should be no more than two holes.


$$\begin{array}{cccc} A \leq & \text{W}/2 & \text{GOOD} \\ A > & \text{W}/2 & \text{NG} \end{array}$$

The appearance standard pf the chipping size in top side.





Electrode appearance criterion for exposed wire.



External appearance criterion for exposed wire

Exposed end of the winding wire at the side should be acceptable.



